13. The white marble slab must be of a superior quality and make.
14. The rattan also must be of superior quality.

List of articles of furniture required for the use of the Minto Ophthalmic Hospital, Bangalore.

Sl. No.	Particulars	Quantity required
1	Teak wood Lockers with white marble slab on top as per sample	80
2	Teakwood Tables ordinary	2
3	Teakwood Table for Office	1
4	Rattan chairs	6
5	Stools Teakwood	5
6	Easy chairs as per sample	2
7	Garden Benches	2
8	Tables with white marble slabs with drawers	2
9	Clothes-Horse stand	1

B. N. SITARAMIAH,
Secretary.

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Notice No. T. C. 295—37-38, dated 19th November 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,
Inspector-General of Police.

OFFICE OF THE PRINCIPAL, IN-CHARGE, HEBBAL FARM, HEBBAL, BANGALORE.

Abstract Notification dated 6th May 1940.

The attention of the public is invited to the detailed notification, dated 6th May 1940, published on page 1098 of Part VI of the *Mysore Gazette*, dated 16th May 1940, regarding auction of unserviceable implements. The date of auction is 31st May 1940.

K. M. GURURAJA RAO,
Principal
(In-charge).

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH—BUREAU OF LABORATORIES.

OFFICE OF THE SUPERINTENDENT, VACCINE INSTITUTE, LAL-BAGH ROAD, BANGALORE.

Abstract Notification, dated 20th May 1940.

All concerned are hereby informed that sealed tenders for the supply of certain articles required for one year from 1st July 1940 to 30th June 1941 (both days inclusive), will be received by the Superintendent, Vaccine Institute, Lal-Bagh Road, Bangalore City, at his Office up to 11 A.M. on Saturday the 8th June 1940.

For full particulars, please see the *Mysore Gazette*, dated 16th May 1940, Part VI, pages from 1099 to 1105.

M. RAMACHANDRA RAO,
Superintendent.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER, BANGALORE.

Abstract Notification dated 20th May 1940.

PROBATIONER APPOINTMENTS.

Attention is drawn to this office Notification, dated 20th May 1940, inviting applications for appointments as Probationers in the Executive Establishment of the Electrical Department,

published in Part VI, pages 1163-1164 of the *Mysore Gazette*, dated 23rd May 1940. The last date of receiving applications is 15th June 1940.

S. G. FORBES,
Chief Electrical Engineer.

Notification G. N. No. 41, dated 24th May 1940.

V.I.R. INSULATED WIRES.

To

The Electrical Firms.

GENTLEMEN,

Please be good enough to quote your best price for the supply of the following from stock, delivered f.o.r., Bangalore City or at the C.P.S. Central Stores, Bangalore.

Your quotation should be delivered in the office of the Chief Electrical Engineer in Mysore, Bangalore, on or before 12 NOON 8th June 1940. On the face of the envelope, please superscribe "Tender for V.I.R. Insulated Wires—8th June 1940, 12 NOON."

Earliest time of delivery should be stated.

The supply on this enquiry shall be subjected to the conditions obtaining in this department in respect of Local purchases. If the firm whose tender is accepted should fail to supply the materials within the promised time, the order is liable to be cancelled and the material being purchased elsewhere at the risk and expense of such firm.

The Chief Electrical Engineer does not bind himself to accept the lowest and his decision shall be final in the matter of acceptance of any tender and the supply.

1. Coils 50—Wire Insulated No. 14 B. & S., V.I.R., for 600 volts, in coils of 300 feet each.
2. ,, 50 do No. 12 B. & S.
3. ,, 10— do No. 10 B. & S.
4. ,, 10— do No. 8 B. & . S.
5. ,, 10 do No. 6 B. & S.
6. ,, 10 do No. 4 B. & S.

M. HAYATH,
For *Chief Electrical Engineer.*

OFFICE OF THE DEPUTY CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Abstract Notification No. G. N....., dated 11th May 1940.

Attention is drawn to this office notification, dated 11th May 1940, inviting tenders for the purchase of Junglewood Sleepers of sizes, published in Part VI, page 1096 of the *Mysore Gazette*, dated 16th May 1940. The last date of receiving tenders is 31st May 1940, 12 NOON and the earnest money required is Rs. 200.

Abstract Notification G. N....., dated 11th May 1940.

Attention is drawn to this office notification, dated 11th May 1940, inviting tenders for Bare Hard Drawn Copper Wire No. 2 B. & S. or 3 S.W.G., published in Part VI, page 1096-1097 of the *Mysore Gazette*, dated 16th May 1940. The last date of receiving tenders is 31st May 1940, 12 NOON.

Notification No. G. N. 42, dated 24th May 1940.

To

All Electrical Firms.

SPHERICAL OPAL WHITE GLOBES.

GENTLEMEN,

Sealed tenders will be received in the office of the Chief Electrical Engineer in Mysore, Bangalore, for the supply of Spherical Globes up to 12 NOON on 6th June 1940 and the tenders should be superscribed "Tenders for Spherical Opal Globes to be opened at 12 NOON on 6th June 1940."

Globes, Spherical, Opal White 16″×8″ .. .. 100 Nos.

The firms should quote their best rates for delivery f.o.r., Mysore, and also mention the exact date of delivery.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to select any tender as he may consider it expedient to accept.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time will entail cancellation of the order and the purchase being made at the firm's expense elsewhere.

Supply on this tender will be subject to the general conditions of contract prevailing in the Department for local purchases.

M. HAYATH,
Deputy Chief Electrical Engineer.

OFFICE OF THE SUPERINTENDENT, BANGALORE POWER AND LIGHTING, BANGALORE.

Notice dated 22nd May 1940.

1. Sealed tenders in triplicate will be received at the Office of the Superintendent, Bangalore Power and Lighting, Bangalore, and the same should be superscribed with the name of the work given below.

2. The plans, detailed estimates and conditions may be obtained at the office of the undersigned at all working hours.

3. The tenders should be in the form of a statement as given below showing rates in figures and in words, at which the different items specified will be executed.

4. The tenders may be rejected or accepted in full or in part without any reasons being assigned therefor.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Superintendent, Power and Lighting, Bangalore. No enquiries regarding the acceptance or rejection of a tender will receive any reply. The earnest money of rejected tenders will be returned.

6. Within three days of the acceptance of the tender, the successful tenderer will be required to execute the usual contract bond, failing which his tender will be considered cancelled and the earnest money will be forfeited.

7. The materials to be used should be of the best English or American make and conform to the requirements of the Departmental rules and specifications. Samples should be sent with tenders. When the samples are sent, mention should be made of manufacturers' or makers' catalogue.

8. *Name of work.*—Providing electric lights to the Extension of the Maharani's Women's College Hostel, Bangalore.

9. *Last date and time of receiving tender.*—3-30 P.M. on 7th June 1940.

10. *Time and date of opening of tenders in public.*—4 P.M. on 7th June 1940.

11. *Earnest money required with tender.*—Rs. 25 and after acceptance Rs. 25.

12. *Time for completing the work from date of accepting the tender.*—One week.

13. *Details of the work to be executed.*—As per specification enclosed.

N.B.—Slight alterations if any will have to be carried out without any extra cost.

Tender for providing electric lights to the extension of Women's College Hostel, Bangalore.

No.	Particulars	Unit	Quantity
1	Supplying and running mains in 1" W. I. pipe using No. 6 B. & S., V. I. R. wire for 600 volts, 2,500 M. G. from the pole as far as the old switch board with necessary bends, etc., complete	R.ft.	45
2	Do without pipe (using the existing pipes, 2 wires) ..	,,	30
3	Supplying and running mains in ¾" braized conduit using No. 12 B. & S. V. I. R. for 600 volts, 2,500 M. G. from the Meter Board as far as the Distribution board with necessary bends, etc., embedding wherever necessary	,,	60
4	Shifting the existing pole with necessary guy set, etc., complete ..	No.	1
5	Supplying and fixing a T. W. switch board 1"×1¼"×3" in flush with the wall with metallic terminal box mounted with 2 of 15 amps. D. P. I. C. switches wired complete	,,	1
6	Supplying and wiring using No. 14 B. & S. twin conductor lead covered cable E. C. for 600 volts for lighting outlets	,,	22
7	Do for controlling switches with 5 amps. brown bakelite reinforced swicthes	,,	22
8	Do for wall plugs with 5 amps. brown bakelite reinforced wall plug with switch combined pattern	,,	2
9	Supplying and fixing :—		
	(*a*) ⅝"×6" rigid iron pendent with heavy pattern brass backplate and B. C. lamp holder complete	,,	4
	(*b*) 5 amps. porcelain ceiling roses	,,	14
	(*c*) 6' to 8' flexible cord twisted	,,	14
	(*d*) B. C. C. G. lampholder	,,	14
	(*e*) White opal shades	,,	18
	(*f*) 8"×4¾" white opal spherical domes with gallery	,,	4
	(*g*) B. C. batten lampholder	,,	4
	(*h*) Lamp, M. F. B. C. 230 volts, 60 watts, pearl	,,	22
10	Masonry patching, painting and colour washing	L. S.	..
11	Grounding the I. C. switches, pipes, etc.	,,	..

T. H. KAIVAR,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 22nd May 1940.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 70 (Rupees Seventy) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore or Order, being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specification furnished, writing out the rate at which, each item of work will be executed in figures as well as in words failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department including painting and colour washing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the Specifications of this Department and B. S. or A. I. E. E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teak wood planks to be used on the work should be free from knots, cracks, and should be well seasoned. No planks less than 12″ in width will be permitted to be used unless it is to make up the difference in size of the board required.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I. E. E. He should also be prepared to adopt changes in the location of lighting outlets control points, etc., that might be desired by the undersigned during the progress of the work without any obligation if the tender is not materially affected thereby. The wiring adopted being in lead covered cable sharp corners should invariably be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specification or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead coverd cables.

10. *Name of work.*—Installing Electric lights to Harris' Bungalow at Seringapatam.

11. *Last date and time of receiving the tender.*—At 3 P.M. on 10th June 1940.

12. *Last date and time for opening the tender in public.*—At 4 P.M. on 10th June 1940.

13. A period of six weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department has the option of arranging to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tender or levy a fine of Rs. 10 per each week of delay or part thereof.

14. The firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 Calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work.*—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

N.B.—(1) The Distribution of lighting outlets should be on 3 circuits.

(2) Large square metal junction boxes should be employed, for wiring outlets.

Installing Electric lights to the Harris' Bungalow at Seringapatam.

No.	Particulars	Unit	Quantity
	Part I—Exterior Wiring.		
1	Supplying and laying No. 7/.036 SWG, twin conductor, paper insulated, lead covered, jute served, double steel tape armoured, underground cable, suitable for a working pressure of 1,000 volts in a trench 3 ft. deep and surrounding the same with 3″ of fine sand, enclosing the ends in indoor and outdoor type of junction boxes filled with insulating compound and the vertical run of the cable along the pole and the horizontal run across the drain in 18 ft. and 6 ft. of 1½″ G. I. pipe respectively clamped firmly to the pole with suitable clamps, using No. 7/.036 SWG. insulated wire and accessories	Ft.	100

No.	Particulars	Unit	Quantity
2	Supplying and running mains in 1" braized conduit embedded in the wall, using No. 7/.036 SWG. 660 volts grade insulated wire and accessories from the indoor junction box to the Distribution Board	R.ft.	25
3	Earthing the cable armouring, etc.	L. S.	1
	Part II—Interior Wiring.		
1	Supplying, fixing and wiring T. W. board 21"×18"×1" with 1" battens and rear board equipping the same with a D. P. S. T. 15 amps. iron clad switch with fuses one 4-way H. O. Pattern metal clad distribution box with fuses 10 Amps. per way and 3, 10 amps. bakelite circuit switches with reinforced bakelite cover, using No. 7/.029 SWG. insulated wire and accessories	No	1
2	Supplying, fixing and wiring in twin and triple conductor lead covered cable, run on suitable teak wood fillets, using suitable metal junction boxes for lighting outlets, complete with 5 Amps. bakelite control switch, cream finish, using No. 7/.029 SWG. and 3/.036 SWG. cables for mains and taps respectively—		
	Ground floor 20		
	First floor 6		26
3	Do do for 5 amps. combined wall plug and switch with nipple cream finish, as per specification above—		
	Ground floor 6		
	First floor 4		10
4	Earthing the lead sheathing of the cable	L. S.	1
	Part III—Fixtures lighting.		
1	Supplying, fixing and wiring drop lights complete with 2-plate bakelite ceiling rose, cream finish, B. C. C. G. lamp holder, necessary length of flexible cord, etc., using necessary accessories—		
	Ground floor 11		1
	First floor 5		6
2	Do do $\frac{5}{8}$" pendents $1\frac{1}{2}$" to 2 ft. long, silverlac finish, complete with stout ceiling plate, B. C. lamp holder, etc., using necessary accessories—		
	Ground floor		2
3	Do do $\frac{5}{8}$" pendents, $1\frac{1}{2}$ feet to 2 feet long complete with stout ceiling plate, B. C. lamp holder, $4\frac{1}{4}$" gallery, all nickle plated, and 8"×$4\frac{1}{4}$" white opal globe and accessories—		
	Ground floor		2
4	Do do Oxidized copper brackets 6"×$\frac{1}{2}$" complete with holder, back plate, etc., using necessary accessories—		
	Ground floor		1
5	Do do bulk head fittings complete with B. C. lamp holder, cast iron ring for holding front glass, etc., using necessary accessories—		
	Ground floor 3		
	First floor 1		4
6	Do do one hailware suspension fixture complete with top and bottom canopy 2 to 3 feet of chain, B. C. lamp holder, and 16" opal glassware, using necessary accessories—		
	Ground floor		1
7	Supplying and fixing shades cream and white opal 10"×5"		15
8	Do tin enamelled 8"×4"		4
9	Lamps 40-60 watts, 230 volts, B. C.—Mysore		26
10	Supplying and fixing lamps 200 watts, 230 volts, B. C.—Mysore ..		1

M. M. ALI KHAN,
Superintendent.